


POTENTIAL TERMINAL BLOCK BROWN BLUE

Potential terminal block brown/brown/blue/blue

Link to Product

Illustration





Product may differ from Image







Commercial data			
ECLASS-6.0	27141106		
ECLASS-6.1	27141106		
ECLASS-7.0	27141106		
ECLASS-8.0	27141106		
ECLASS-9.0	27141106		
ECLASS-10.1	27141106		
ECLASS-11.1	27141106		
ECLASS-12.0	27141106		
ETIM-5.0	EC001283		
customs tariff number	85369010		
GTIN	4048879049375		
Packaging unit	1		
Electrical data Supply			
Operating voltage AC max.	30 V		
Operating voltage DC max.	30 V		
Total current max.	10 A		
Installation			
Connection cross section max.	2,5 mm ²		
AWG number min.	28		
AWG number max.	14		
Installation Connection			
Connection	Spring clamp plug-in terminals		
Device protection Electrical			

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-17



Degree of protection (EN IEC 60529)	IP20
-------------------------------------	------

Mechanical data Mounting data	
Height	70 mm
Width	56 mm
Depth	32,5 mm
Environmental characteristics Cli	matic
Operating temperature min.	0 °C
Operating temperature max.	55 °C
Storage temperature min.	-40 °C
Storage temperature max.	85 °C